
Cursus: Digid, wat kun je ermee?

Ontdek wat je allemaal zelf via internet kunt regelen met DigiD bij o.a. de gemeente en het UWV! De overheid biedt steeds meer diensten aan via het internet. Of het nu gaat om het aanvragen van huurtoeslag, van zorg, het zoeken naar werk of het doorgeven van een verhuizing. Vaak wordt uw DigiD daarbij gevraagd; het is uw persoonlijke digitale sleutel.

In deze cursus ervaart u in 4 bijeenkomsten hoe u DigiD gebruikt. Alles wordt stap-voor-stap uitgelegd door docenten en deskundige vrijwilligers. U oefent tijdens de instructie (en als u wilt ook thuis) met de materie. Er is ruimte voor maximaal 8 deelnemers. Centre Céramique biedt de cursus aan om u te helpen bij het gebruik van de (elektronische) overheid.

Een korte introductiefilm van de oprichter van digisterker: [digisterker introductiefilm](#)

Voorwaarden

- vaardig zijn met internet, toetsenbord en muis. (kunt u dit nog niet goed, dan adviseren wij om eerst de cursus Klik&Tik in Centre Céramique te volgen).
- burgerservicenummer meenemen
- gebruikersnaam en wachtwoord van uw email meenemen. Of neem uw ipad of mobiele telefoon mee, waarop u uw email kunt raadplegen.

Aanmelden: klantenservice@maastricht.nl of 043-3505600

Donderdags van 10:00 tot 12:30 uur (zie agenda voor data in 2017)

Prijs: voor verplicht werkboek + koffie / thee Niet-leden € 22,00 Leden-prijs € 20,00
Uiterlijk een week voor aanvang van de cursus dient het cursusgeld betaald te zijn.

De cursus gaat door als er minimaal 4 deelnemers zijn. U wordt hierover uiterlijk 2 dagen vooraf geïnformeerd.



Aantal queries unique: **25**

Aantal queries total: **34**

```
[2] SELECT SQL_CALC_FOUND_ROWS
```

```
`template_id`, `active`, `deleted`, `custom_template`, `newsletter_ready`, `name`, `version`, `creation_date`, `author`, `directory`, `front_js`, `create_id`, `alter_id`, `create_date`, `alter_date`, `support_page_id`, `bootstrap` FROM `sys_template` WHERE (`template_id`=111) AND (`active`=1) AND (`deleted`=0)
```

```
[1] SELECT r.target_id, r.target_system_id, r.primary, r.path FROM `sys_route` AS r LEFT JOIN `sys_repository_item` sri ON (sri.item_id = r.target_id AND sri.item_system_id = r.target_system_id) WHERE (r.site_id=2 OR r.site_id IS NULL) AND r.`active` = "1" AND r.target_type = "page" AND (r.path LIKE "educatie/mediawijsheid" OR r.path LIKE "educatie/mediawijsheid_" OR r.path LIKE "educatie/") AND
```

```

sri.deleted = "0" AND r.regex = "0"
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`source_id`,`source_system_id`,`status`,`comment` FROM
`sys_repository_item_status` WHERE (`item_id`=48) AND (`item_system_id`=127)
[2] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create
_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=48) AND (`item_system_id`=127)
AND (`item_type`=10) AND (`deleted`=0)
[2] SELECT SQL_CALC_FOUND_ROWS `page_id`,`page_system_id`,`layout`,`title`,`searchable` FROM
`mod_page` WHERE (`page_id`=48) AND (`page_system_id`=127)
[1] SELECT fieldname,value FROM `sys_repository_item_metadata` WHERE `item_id` = 48
[1] SELECT tag FROM `sys_repository_item_tag` WHERE `item_id` = 48
[1] SELECT layout_file FROM `sys_template_panel` WHERE template_id=111 AND layout='Overzicht/Detail'
GROUP BY layout
[2] SELECT SQL_CALC_FOUND_ROWS `template_id`,`name`,`impl` FROM `sys_template_smarty_plugin`
WHERE (`template_id`=111)
[2] SELECT FOUND_ROWS()
[1] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=176) AND (`node_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=13) AND (`node_system_id`=127)
[2] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=3) AND (`node_system_id`=127)
[4] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=1) AND (`node_system_id`=127)
[1] SELECT IF(r.restriction_id IS NULL OR r.restriction_id = 0, 0, IF(r.restriction_system_id = 127, r.restriction_id,
CONCAT(r.restriction_id,"-",r.restriction_system_id))) FROM mod_restriction r INNER JOIN
sys_repository_item ri ON (r.restriction_id=ri.item_id AND r.restriction_system_id=ri.item_system_id) LEFT
JOIN mod_restriction_page rp ON r.restriction_id=rp.restriction_id AND
r.restriction_system_id=rp.restriction_system_id LEFT JOIN mod_restriction_folder rf ON
r.restriction_id=rf.restriction_id AND r.restriction_system_id=rf.restriction_system_id LEFT JOIN
mod_restriction_site rs ON r.restriction_id=rs.restriction_id AND
r.restriction_system_id=rs.restriction_system_id WHERE ri.deleted=0 AND ((rp.page_id=48 AND
rp.page_system_id=127) OR (rs.site_id=2) OR (rf.folder_id=13 AND rf.folder_system_id=127) OR (rf.folder_id=3
AND rf.folder_system_id=127) OR (rf.folder_id=1 AND rf.folder_system_id=127) OR (rf.folder_id=176 AND
rf.folder_system_id=127)) GROUP BY r.restriction_id, r.restriction_system_id
[1] SELECT tp.name FROM `sys_template_panel` AS tp INNER JOIN `sys_template` AS t ON
t.template_id=tp.template_id WHERE t.active=1 AND t.deleted=0 AND tp.layout="Overzicht/Detail" GROUP BY
tp.name
[1] SELECT mp.*, IF(mp.panel_id IS NULL OR mp.panel_id = 0, 0, IF(mp.panel_system_id = 127, mp.panel_id,
CONCAT(mp.panel_id,"-",mp.panel_system_id))) AS _panel_id, IF(mp.page_id IS NULL OR mp.page_id = 0, 0,
IF(mp.page_system_id = 127, mp.page_id, CONCAT(mp.page_id,"-",mp.page_system_id))) AS _page_id,
IF(stp.layout IS NULL, 0, 1) AS in_layout FROM mod_page_panel AS mp LEFT JOIN sys_template_panel AS stp
ON ((stp.name = mp.name) AND (stp.layout = "Overzicht/Detail")) WHERE mp.page_id = "48" AND
mp.page_system_id = "127" AND NOT stp.layout IS NULL GROUP BY mp.name ORDER BY stp.taborder
[1] SELECT sri.*, sp.name as `panel_name`, mpi.panel_item_id, mpi.panel_item_id AS _panel_item_id,
IF(sri.item_id IS NULL OR sri.item_id = 0, 0, IF(sri.item_system_id = 127, sri.item_id,
CONCAT(sri.item_id,"-",sri.item_system_id))) AS _item_id, IF(sri.node_id IS NULL OR sri.node_id = 0, 0,
IF(sri.node_system_id = 127, sri.node_id, CONCAT(sri.node_id,"-",sri.node_system_id))) AS _node_id,
IF(srim.fieldname = "file_type", srim.value, null) as "file_type", mpi.exe_priority, mpi.active FROM
sys_repository_item AS sri LEFT JOIN sys_repository_item_metadata AS srim ON (sri.item_id = srim.item_id)

```

```

AND (sri.item_system_id = srim.item_system_id AND srim.fieldname = "file_type") INNER JOIN
sys_site_panel_item AS mpi ON (sri.item_id = mpi.item_id) INNER JOIN sys_site_panel AS sp ON ( mpi.panel_id
= sp.panel_id ) WHERE sp.name IN
("blh_logo","blh_topmenu","blh_submenu","blh_mainmenu","blh_search","blh_breadcrumb","blh_right_dc","blh_fo
oter_banner","blh_footer_menu","blh_bottom","blh_head_hidden") AND sp.site_id = 2 AND
sri.deleted=0 ORDER BY mpi.order_id
[1] SELECT * FROM `sys_site_panel_display_option` WHERE panel_item_id IN (60,61,62,59,58,64)
[1] SELECT sri.*, mpi.panel_item_id, mpi.panel_item_system_id, IF(mpi.panel_item_id IS NULL OR
mpi.panel_item_id = 0, 0, IF(mpi.panel_item_system_id = 127, mpi.panel_item_id,
CONCAT(mpi.panel_item_id,"-",mpi.panel_item_system_id))) AS _panel_item_id, IF(sri.item_id IS NULL OR
sri.item_id = 0, 0, IF(sri.item_system_id = 127, sri.item_id, CONCAT(sri.item_id,"-",sri.item_system_id))) AS
_item_id, IF(sri.node_id IS NULL OR sri.node_id = 0, 0, IF(sri.node_system_id = 127, sri.node_id,
CONCAT(sri.node_id,"-",sri.node_system_id))) AS _node_id, IF(mpi.panel_id IS NULL OR mpi.panel_id = 0, 0,
IF(mpi.panel_system_id = 127, mpi.panel_id, CONCAT(mpi.panel_id,"-",mpi.panel_system_id))) AS _panel_id,
IF(srim.fieldname = "file_type", srim.value, null) as "file_type", sri.alter_date, mpi.exe_priority, mpi.active FROM
sys_repository_item AS sri LEFT JOIN sys_repository_item_metadata AS srim ON (sri.item_id = srim.item_id)
AND (sri.item_system_id = srim.item_system_id AND srim.fieldname = "file_type") INNER JOIN
mod_page_panel_item AS mpi ON (sri.item_id = mpi.item_id) AND (sri.item_system_id = mpi.item_system_id)
WHERE ( mpi.panel_id = 391 OR mpi.panel_id = 393) AND sri.deleted=0 ORDER BY mpi.order_id ASC
[1] SELECT * FROM mod_page_panel_display_option WHERE (panel_item_id = 671 AND panel_item_system_id
= 127) OR (panel_item_id = 3638 AND panel_item_system_id = 127) OR (panel_item_id = 502 AND
panel_item_system_id = 127) OR (panel_item_id = 1844 AND panel_item_system_id = 127) OR (panel_item_id =
2257 AND panel_item_system_id = 127) OR (panel_item_id = 3144 AND panel_item_system_id = 127) OR
(panel_item_id = 504 AND panel_item_system_id = 127) OR (panel_item_id = 501 AND panel_item_system_id =
127) OR (panel_item_id = 1621 AND panel_item_system_id = 127) OR (panel_item_id = 4427 AND
panel_item_system_id = 127) OR (panel_item_id = 2449 AND panel_item_system_id = 127) OR (panel_item_id =
1465 AND panel_item_system_id = 127) OR (panel_item_id = 854 AND panel_item_system_id = 127) OR
(panel_item_id = 1370 AND panel_item_system_id = 127) OR (panel_item_id = 1622 AND panel_item_system_id
= 127) OR (panel_item_id = 1754 AND panel_item_system_id = 127) OR (panel_item_id = 1755 AND
panel_item_system_id = 127) OR (panel_item_id = 1756 AND panel_item_system_id = 127)
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create
_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=6735) AND
(`item_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`source_id`,`source_system_id`,`status`,`comment` FROM
`sys_repository_item_status` WHERE (`item_id`=6735) AND (`item_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create
_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=6735) AND
(`item_system_id`=127) AND (`item_type`=15) AND (`deleted`=0)
[1] SELECT SQL_CALC_FOUND_ROWS `text_id`,`text_system_id`,`title`,`text` FROM `mod_text` WHERE
(`text_id`=6735) AND (`text_system_id`=127)

```