
Mediawijsheid - Kritisch en Kundig de weg naar betrouwbare kennis en informatie vinden.

Media spelen een grote rol in het leven van jong en oud. Media zijn overal en hun impact is groot. Denk maar aan hoeveel televisie, internet, smartphones en games in ons leven opduiken. Veilig, bewust en kritisch gebruik maken van media leidt tot plezier, vermaak, ontwikkeling en stimuleert creativiteit.

Centre Céramique organiseert activiteiten op het gebied van Mediawijsheid voor kinderen en volwassenen. Ze worden via de maandelijkse agenda bekend gemaakt. Basis -en Middelbare scholen kunnen ook bij Centre Ceramique terecht voor allerlei boeiende diensten en advies.

Centre Céramique hanteert voor haar werkveld de volgende definitie van mediawijsheid:

Mediawijsheid is kritisch en kundig de weg naar betrouwbare kennis en informatie vinden.

Contact

Voor meer informatie en vragen over ons aanbod, neemt u contact op met mediacoaches Jurn Glazenburg (jurn.glazenburg@maastricht.nl) of Marion Cuijpers (marion.cuijpers@maastricht.nl), beide gecertificeerd door de Nationale Opleiding tot Mediacoach (NOMC)

Aantal queries unique: **25**

Aantal queries total: **34**

```
[2] SELECT SQL_CALC_FOUND_ROWS
`template_id`,`active`,`deleted`,`custom_template`,`newsletter_ready`,`name`,`version`,`creation_date`,`author`,`directory`,`front_js`,`create_id`,`alter_id`,`create_date`,`alter_date`,`support_page_id`,`bootstrap` FROM
`sys_template` WHERE (`template_id`=111) AND (`active`=1) AND (`deleted`=0)
[1] SELECT r.target_id, r.target_system_id, r.primary, r.path FROM `sys_route` AS r LEFT JOIN
`sys_repository_item` sri ON (sri.item_id = r.target_id AND sri.item_system_id = r.target_system_id) WHERE
(r.site_id=2 OR r.site_id IS NULL) AND r.`active` = "1" AND r.target_type = "page" AND (r.path
LIKE "educatie/mediawijsheid" OR r.path LIKE "educatie/mediawijsheid_" OR r.path LIKE "educatie/") AND
sri.deleted = "0" AND r.regex = "0"
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`source_id`,`source_system_id`,`status`,`comment` FROM
`sys_repository_item_status` WHERE (`item_id`=48) AND (`item_system_id`=127)
[2] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=48) AND (`item_system_id`=127)
AND (`item_type`=10) AND (`deleted`=0)
[2] SELECT SQL_CALC_FOUND_ROWS `page_id`,`page_system_id`,`layout`,`title`,`searchable` FROM
`mod_page` WHERE (`page_id`=48) AND (`page_system_id`=127)
[1] SELECT fieldname,value FROM `sys_repository_item_metadata` WHERE `item_id` = 48
[1] SELECT tag FROM `sys_repository_item_tag` WHERE `item_id` = 48
[1] SELECT layout_file FROM `sys_template_panel` WHERE template_id=111 AND layout='Overzicht/Detail'
GROUP BY layout
[2] SELECT SQL_CALC_FOUND_ROWS `template_id`,`name`,`impl` FROM `sys_template_smarty_plugin`
WHERE (`template_id`=111)
[2] SELECT FOUND_ROWS()
[1] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
```

```

alter_date` FROM `sys_repository_node` WHERE (`node_id`=176) AND (`node_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=13) AND (`node_system_id`=127)
[2] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=3) AND (`node_system_id`=127)
[4] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=1) AND (`node_system_id`=127)
[1] SELECT IF(r.restriction_id IS NULL OR r.restriction_id = 0, 0, IF(r.restriction_system_id = 127, r.restriction_id,
CONCAT(r.restriction_id,"-",r.restriction_system_id))) FROM mod_restriction r          INNER JOIN
sys_repository_item ri ON (r.restriction_id=ri.item_id AND r.restriction_system_id=ri.item_system_id)          LEFT
JOIN mod_restriction_page rp ON          r.restriction_id=rp.restriction_id AND
r.restriction_system_id=rp.restriction_system_id          LEFT JOIN mod_restriction_folder rf ON
r.restriction_id=rf.restriction_id AND r.restriction_system_id=rf.restriction_system_id          LEFT JOIN
mod_restriction_site rs ON          r.restriction_id=rs.restriction_id AND
r.restriction_system_id=rs.restriction_system_id          WHERE ri.deleted=0 AND ((rp.page_id=48 AND
rp.page_system_id=127) OR (rs.site_id=2) OR (rf.folder_id=13 AND rf.folder_system_id=127) OR (rf.folder_id=3
AND rf.folder_system_id=127) OR (rf.folder_id=1 AND rf.folder_system_id=127) OR (rf.folder_id=176 AND
rf.folder_system_id=127)) GROUP BY r.restriction_id, r.restriction_system_id
[1] SELECT tp.name FROM `sys_template_panel` AS tp INNER JOIN `sys_template` AS t ON
t.template_id=tp.template_id WHERE t.active=1 AND t.deleted=0 AND tp.layout="Overzicht/Detail" GROUP BY
tp.name
[1] SELECT mp.*, IF(mp.panel_id IS NULL OR mp.panel_id = 0, 0, IF(mp.panel_system_id = 127, mp.panel_id,
CONCAT(mp.panel_id,"-",mp.panel_system_id))) AS _panel_id, IF(mp.page_id IS NULL OR mp.page_id = 0, 0,
IF(mp.page_system_id = 127, mp.page_id, CONCAT(mp.page_id,"-",mp.page_system_id))) AS _page_id,
IF(stp.layout IS NULL, 0, 1) AS in_layout FROM mod_page_panel AS mp LEFT JOIN sys_template_panel AS stp
ON ((stp.name = mp.name) AND (stp.layout = "Overzicht/Detail")) WHERE mp.page_id = "48" AND
mp.page_system_id = "127" AND NOT stp.layout IS NULL GROUP BY mp.name ORDER BY stp.taborder
[1] SELECT sri.*, sp.name as `panel_name`, mpi.panel_item_id, mpi.panel_item_id AS _panel_item_id,
IF(sri.item_id IS NULL OR sri.item_id = 0, 0, IF(sri.item_system_id = 127, sri.item_id,
CONCAT(sri.item_id,"-",sri.item_system_id))) AS _item_id, IF(sri.node_id IS NULL OR sri.node_id = 0, 0,
IF(sri.node_system_id = 127, sri.node_id, CONCAT(sri.node_id,"-",sri.node_system_id))) AS _node_id,
IF(srim.fieldname = "file_type", srim.value, null) as "file_type", mpi.exe_priority, mpi.active FROM
sys_repository_item AS sri LEFT JOIN sys_repository_item_metadata AS srim ON (sri.item_id = srim.item_id)
AND (sri.item_system_id = srim.item_system_id AND srim.fieldname = "file_type") INNER JOIN
sys_site_panel_item AS mpi ON (sri.item_id = mpi.item_id) INNER JOIN sys_site_panel AS sp ON ( mpi.panel_id
= sp.panel_id ) WHERE sp.name IN
("blh_logo","blh_topmenu","blh_submenu","blh_mainmenu","blh_search","blh_breadcrumb","blh_right_dc","blh_fo
oter_banner","blh_footer_menu","blh_bottom","blh_head_hidden") AND sp.site_id = 2 AND
sri.deleted=0 ORDER BY mpi.order_id
[1] SELECT * FROM `sys_site_panel_display_option` WHERE panel_item_id IN (60,61,62,59,58,64)
[1] SELECT sri.*, mpi.panel_item_id, mpi.panel_item_system_id, IF(mpi.panel_item_id IS NULL OR
mpi.panel_item_id = 0, 0, IF(mpi.panel_item_system_id = 127, mpi.panel_item_id,
CONCAT(mpi.panel_item_id,"-",mpi.panel_item_system_id))) AS _panel_item_id, IF(sri.item_id IS NULL OR
sri.item_id = 0, 0, IF(sri.item_system_id = 127, sri.item_id, CONCAT(sri.item_id,"-",sri.item_system_id))) AS
_item_id, IF(sri.node_id IS NULL OR sri.node_id = 0, 0, IF(sri.node_system_id = 127, sri.node_id,
CONCAT(sri.node_id,"-",sri.node_system_id))) AS _node_id, IF(mpi.panel_id IS NULL OR mpi.panel_id = 0, 0,
IF(mpi.panel_system_id = 127, mpi.panel_id, CONCAT(mpi.panel_id,"-",mpi.panel_system_id))) AS _panel_id,
IF(srim.fieldname = "file_type", srim.value, null) as "file_type", sri.alter_date, mpi.exe_priority, mpi.active FROM
sys_repository_item AS sri LEFT JOIN sys_repository_item_metadata AS srim ON (sri.item_id = srim.item_id)
AND (sri.item_system_id = srim.item_system_id AND srim.fieldname = "file_type") INNER JOIN
mod_page_panel_item AS mpi ON (sri.item_id = mpi.item_id) AND (sri.item_system_id = mpi.item_system_id)
WHERE ( mpi.panel_id = 391 OR mpi.panel_id = 393) AND sri.deleted=0 ORDER BY mpi.order_id ASC

```

```
[1] SELECT * FROM mod_page_panel_display_option WHERE (panel_item_id = 671 AND panel_item_system_id = 127) OR (panel_item_id = 3638 AND panel_item_system_id = 127) OR (panel_item_id = 502 AND panel_item_system_id = 127) OR (panel_item_id = 1844 AND panel_item_system_id = 127) OR (panel_item_id = 2257 AND panel_item_system_id = 127) OR (panel_item_id = 3144 AND panel_item_system_id = 127) OR (panel_item_id = 504 AND panel_item_system_id = 127) OR (panel_item_id = 501 AND panel_item_system_id = 127) OR (panel_item_id = 1621 AND panel_item_system_id = 127) OR (panel_item_id = 4427 AND panel_item_system_id = 127) OR (panel_item_id = 2449 AND panel_item_system_id = 127) OR (panel_item_id = 1465 AND panel_item_system_id = 127) OR (panel_item_id = 854 AND panel_item_system_id = 127) OR (panel_item_id = 1370 AND panel_item_system_id = 127) OR (panel_item_id = 1622 AND panel_item_system_id = 127) OR (panel_item_id = 1754 AND panel_item_system_id = 127) OR (panel_item_id = 1755 AND panel_item_system_id = 127) OR (panel_item_id = 1756 AND panel_item_system_id = 127)
[1] SELECT SQL_CALC_FOUND_ROWS `item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=751) AND (`item_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS `item_id`,`item_system_id`,`source_id`,`source_system_id`,`status`,`comment` FROM `sys_repository_item_status` WHERE (`item_id`=751) AND (`item_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS `item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=751) AND (`item_system_id`=127) AND (`item_type`=15) AND (`deleted`=0)
[1] SELECT SQL_CALC_FOUND_ROWS `text_id`,`text_system_id`,`title`,`text` FROM `mod_text` WHERE (`text_id`=751) AND (`text_system_id`=127)
```