
BOEK-AAN-HUIS service

Stel, u leest graag en maakt gebruik van de bibliotheek. Maar naar de bibliotheek komen is een groot probleem voor u. Dan heeft de Stadsbibliotheek Maastricht dé oplossing voor u: BOEK-AAN-HUIS service.

Voor wie?

De BOEK-AAN-HUIS service is er voor iedereen die zelfstandig woont binnen de Gemeente Maastricht en niet meer zelf naar de bibliotheek kan komen door ziekte en/of handicap.

In een kennismakingsgesprek vertellen wij graag wat de Stadsbibliotheek Maastricht u te bieden heeft. In dit gesprek kunt u ook aangeven naar welke boeken en onderwerpen uw belangstelling uitgaat.

Wat kunt u allemaal lenen?

- Nederlandse romans (literatuur);
- 'grote letter' boeken in verschillende genres;
- familie- en streekromans, detectives en thrillers, biografieën, fantasy e.d.;
- Buitenlandse romans (o.a. Top 10);
- informatieve boeken over onderwerpen zoals natuur, reizen, computers, gezondheid enz.
- luisterboeken
- Dvd's en cd's
- e-Books

Hoe werkt het?

De werkwijze van de BOEK-AAN-HUIS service is als volgt:

éénmaal in de vier weken bezoekt een vrijwilliger van Stadsbibliotheek Maastricht u thuis en worden de boeken geruild. Wij streven er naar om dit zo veel mogelijk op dezelfde dag en tijd en door dezelfde vrijwilliger te laten gebeuren.

Dat is zeker wel erg duur?

Nee, dat valt wel mee. Voor de diensten van de BOEK-AAN-HUIS service geldt hetzelfde tarief als voor een *COMFORT* abonnement.

Zie: [Tarieven en lidmaatschap](#)

Heeft u belangstelling?

Neem contact op met mevr. M. Vriezelaar: 043-3505597 of miranda.vriezelaar@maastricht.nl
of mevr. R. Hoofs: 043-3505606 of rosa.hoofs@maastricht.nl

Artikel delen:

Aantal queries unique: **26**

Aantal queries total: **35**

```
[2] SELECT SQL_CALC_FOUND_ROWS
```

```
`template_id`, `active`, `deleted`, `custom_template`, `newsletter_ready`, `name`, `version`, `creation_date`, `author`, `directory`, `front_js`, `create_id`, `alter_id`, `create_date`, `alter_date`, `support_page_id`, `bootstrap` FROM `sys_template` WHERE (`template_id`=111) AND (`active`=1) AND (`deleted`=0)
```

```
[1] SELECT r.target_id, r.target_system_id, r.primary, r.path FROM `sys_route` AS r LEFT JOIN
```

```

`sys_repository_item` sri ON (sri.item_id = r.target_id AND sri.item_system_id = r.target_system_id) WHERE
(r.site_id=2 OR r.site_id IS NULL) AND r.`active` = "1" AND r.target_type = "page" AND (r.path
LIKE "in_de_wijk_boek_aan_huis" OR r.path LIKE "in_de_wijk_boek_aan_huis_") AND sri.deleted = "0" AND
r.regex = "0"
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`source_id`,`source_system_id`,`status`,`comment` FROM
`sys_repository_item_status` WHERE (`item_id`=166) AND (`item_system_id`=127)
[2] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create
_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=166) AND (`item_system_id`=127)
AND (`item_type`=10) AND (`deleted`=0)
[2] SELECT SQL_CALC_FOUND_ROWS `page_id`,`page_system_id`,`layout`,`title`,`searchable` FROM
`mod_page` WHERE (`page_id`=166) AND (`page_system_id`=127)
[1] SELECT fieldname,value FROM `sys_repository_item_metadata` WHERE `item_id` = 166
[1] SELECT tag FROM `sys_repository_item_tag` WHERE `item_id` = 166
[1] SELECT layout_file FROM `sys_template_panel` WHERE template_id=111 AND layout='Overzicht/Detail'
GROUP BY layout
[2] SELECT SQL_CALC_FOUND_ROWS `template_id`,`name`,`impl` FROM `sys_template_smarty_plugin`
WHERE (`template_id`=111)
[2] SELECT FOUND_ROWS()
[1] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=567) AND (`node_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=12) AND (`node_system_id`=127)
[2] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=3) AND (`node_system_id`=127)
[4] SELECT SQL_CALC_FOUND_ROWS
`node_id`,`node_system_id`,`parent_id`,`parent_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create_date`,`
alter_date` FROM `sys_repository_node` WHERE (`node_id`=1) AND (`node_system_id`=127)
[1] SELECT IF(r.restriction_id IS NULL OR r.restriction_id = 0, 0, IF(r.restriction_system_id = 127, r.restriction_id,
CONCAT(r.restriction_id,"-",r.restriction_system_id))) FROM mod_restriction r INNER JOIN
sys_repository_item ri ON (r.restriction_id=ri.item_id AND r.restriction_system_id=ri.item_system_id) LEFT
JOIN mod_restriction_page rp ON r.restriction_id=rp.restriction_id AND
r.restriction_system_id=rp.restriction_system_id LEFT JOIN mod_restriction_folder rf ON
r.restriction_id=rf.restriction_id AND r.restriction_system_id=rf.restriction_system_id LEFT JOIN
mod_restriction_site rs ON r.restriction_id=rs.restriction_id AND
r.restriction_system_id=rs.restriction_system_id WHERE ri.deleted=0 AND ((rp.page_id=166 AND
rp.page_system_id=127) OR (rs.site_id=2) OR (rf.folder_id=12 AND rf.folder_system_id=127) OR (rf.folder_id=3
AND rf.folder_system_id=127) OR (rf.folder_id=1 AND rf.folder_system_id=127) OR (rf.folder_id=567 AND
rf.folder_system_id=127)) GROUP BY r.restriction_id, r.restriction_system_id
[1] SELECT tp.name FROM `sys_template_panel` AS tp INNER JOIN `sys_template` AS t ON
t.template_id=tp.template_id WHERE t.active=1 AND t.deleted=0 AND tp.layout="Overzicht/Detail" GROUP BY
tp.name
[1] SELECT mp.*, IF(mp.panel_id IS NULL OR mp.panel_id = 0, 0, IF(mp.panel_system_id = 127, mp.panel_id,
CONCAT(mp.panel_id,"-",mp.panel_system_id))) AS _panel_id, IF(mp.page_id IS NULL OR mp.page_id = 0, 0,
IF(mp.page_system_id = 127, mp.page_id, CONCAT(mp.page_id,"-",mp.page_system_id))) AS _page_id,
IF(stp.layout IS NULL, 0, 1) AS in_layout FROM mod_page_panel AS mp LEFT JOIN sys_template_panel AS stp
ON ((stp.name = mp.name) AND (stp.layout = "Overzicht/Detail")) WHERE mp.page_id = "166" AND
mp.page_system_id = "127" AND NOT stp.layout IS NULL GROUP BY mp.name ORDER BY stp.taborder
[1] SELECT sri.*, sp.name as `panel_name`, mpi.panel_item_id, mpi.panel_item_id AS _panel_item_id,
IF(sri.item_id IS NULL OR sri.item_id = 0, 0, IF(sri.item_system_id = 127, sri.item_id,
CONCAT(sri.item_id,"-",sri.item_system_id))) AS _item_id, IF(sri.node_id IS NULL OR sri.node_id = 0, 0,

```

```

IF(sri.node_system_id = 127, sri.node_id, CONCAT(sri.node_id,"-",sri.node_system_id))) AS _node_id,
IF(srim.fieldname = "file_type", srim.value, null) as "file_type", mpi.exe_priority, mpi.active FROM
sys_repository_item AS sri LEFT JOIN sys_repository_item_metadata AS srim ON (sri.item_id = srim.item_id)
AND (sri.item_system_id = srim.item_system_id AND srim.fieldname = "file_type") INNER JOIN
sys_site_panel_item AS mpi ON (sri.item_id = mpi.item_id) INNER JOIN sys_site_panel AS sp ON ( mpi.panel_id
= sp.panel_id ) WHERE sp.name IN
("blh_logo","blh_topmenu","blh_submenu","blh_mainmenu","blh_search","blh_breadcrumb","blh_right_dc","blh_fo
oter_banner","blh_footer_menu","blh_bottom","blh_head_hidden") AND sp.site_id = 2 AND
sri.deleted=0 ORDER BY mpi.order_id
[1] SELECT * FROM `sys_site_panel_display_option` WHERE panel_item_id IN (60,61,62,59,58,64)
[1] SELECT sri.*, mpi.panel_item_id, mpi.panel_item_system_id, IF(mpi.panel_item_id IS NULL OR
mpi.panel_item_id = 0, 0, IF(mpi.panel_item_system_id = 127, mpi.panel_item_id,
CONCAT(mpi.panel_item_id,"-",mpi.panel_item_system_id))) AS _panel_item_id, IF(sri.item_id IS NULL OR
sri.item_id = 0, 0, IF(sri.item_system_id = 127, sri.item_id, CONCAT(sri.item_id,"-",sri.item_system_id))) AS
_item_id, IF(sri.node_id IS NULL OR sri.node_id = 0, 0, IF(sri.node_system_id = 127, sri.node_id,
CONCAT(sri.node_id,"-",sri.node_system_id))) AS _node_id, IF(mpi.panel_id IS NULL OR mpi.panel_id = 0, 0,
IF(mpi.panel_system_id = 127, mpi.panel_id, CONCAT(mpi.panel_id,"-",mpi.panel_system_id))) AS _panel_id,
IF(srim.fieldname = "file_type", srim.value, null) as "file_type", sri.alter_date, mpi.exe_priority, mpi.active FROM
sys_repository_item AS sri LEFT JOIN sys_repository_item_metadata AS srim ON (sri.item_id = srim.item_id)
AND (sri.item_system_id = srim.item_system_id AND srim.fieldname = "file_type") INNER JOIN
mod_page_panel_item AS mpi ON (sri.item_id = mpi.item_id) AND (sri.item_system_id = mpi.item_system_id)
WHERE ( mpi.panel_id = 1018 OR mpi.panel_id = 1020) AND sri.deleted=0 ORDER BY mpi.order_id ASC
[1] SELECT * FROM mod_page_panel_display_option WHERE (panel_item_id = 87 AND panel_item_system_id
= 127) OR (panel_item_id = 2916 AND panel_item_system_id = 127) OR (panel_item_id = 83 AND
panel_item_system_id = 127) OR (panel_item_id = 84 AND panel_item_system_id = 127) OR (panel_item_id =
2371 AND panel_item_system_id = 127) OR (panel_item_id = 86 AND panel_item_system_id = 127) OR
(panel_item_id = 85 AND panel_item_system_id = 127)
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create
_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=165) AND (`item_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`source_id`,`source_system_id`,`status`,`comment` FROM
`sys_repository_item_status` WHERE (`item_id`=165) AND (`item_system_id`=127)
[1] SELECT SQL_CALC_FOUND_ROWS
`item_id`,`item_system_id`,`item_type`,`node_id`,`node_system_id`,`name`,`deleted`,`create_id`,`alter_id`,`create
_date`,`alter_date`,`lockable` FROM `sys_repository_item` WHERE (`item_id`=165) AND (`item_system_id`=127)
AND (`item_type`=15) AND (`deleted`=0)
[1] SELECT SQL_CALC_FOUND_ROWS `text_id`,`text_system_id`,`title`,`text` FROM `mod_text` WHERE
(`text_id`=165) AND (`text_system_id`=127)
[1] SELECT CONCAT(target_id,"-",target_system_id) as `page_id`, path FROM sys_route WHERE active = 1
AND `primary` = 1 AND target_type = "page" AND (site_id IS NULL OR site_id = 2)

```